

PLANT SPECIES LIST FOR KNOCKLOFTY RESERVE

Revisions r4: 2 January 2020 by Bruce Champion

- Group:** Angiosperm (flowering plants) D - dicotyledon, M - Monocotyledon
 Gymnosperm (conifers) G
 Pteridophytes (ferns) E
- Survey:** a - A. North (Jan-March 2000) b - A. North (September 1997)
 c - R. Schahinger (up to November 1996) d - R. Brown (from report July 1983)
 e - Floral Watch 2005 f - B. Champion 2006
 g - A. North & B. Champion Summit Loop track realignment (Oct & Nov 2007)
 h - HCC planting about 1997 i - incidental sightings B. Champion, D. How
- Origin:** Introduced - species introduced to Knocklofty Reserve - This includes several native Tasmanian and Australian plants.
 Endemic - Tasmanian endemic that does not naturally exist outside of the State.
- Location:** n = north, s = south, e = east, w = west, f.t. = fire trail

Species Name	Common Name	Group	Survey	Origin	Location
<i>Acacia dealbata</i>	Silver Wattle	D	a,b,e,g		All over
<i>Acacia genistifolia</i>	Spreading Wattle	D	a,b,c,e,g		All over
<i>Acacia gunnii</i>	Ploughshare Wattle	D	a,b,c,e		Corby Ave track
<i>Acacia mearnsii</i>	Black Wattle	D	a,c,e		
<i>Acacia melanoxylon</i>	Blackwood	D	a,b,c,d,e,g		All over
<i>Acacia myrtifolia</i>	Redstem Wattle	D	f		Western wayleave
<i>Acacia riceana</i>	Arching Wattle	D	e,f,h	Tasmanian introduced	s. frog dam
<i>Acacia stricta</i>	Hop Wattle	D	a,b,c,d,g		w. summit
<i>Acacia leprosa</i> var. <i>graveolens</i>	Varnished Wattle	D	a,c		
<i>Acacia verticillata</i>	Prickly Mimosa	D	a,c,d,e,g		Wet gullies
<i>Acaena echinata</i>	Sheep's Burr	D	b,g		w. summit
<i>Acaena novae-zelandiae</i>	Buzzy	D	c,d,e		Open dry
<i>Acaena ovina</i>		D	g		w. summit
<i>Acetosella vulgaris</i>	Sheep's Sorrel	D	c,d	Introduced	
<i>Acianthus pusillus</i>	Mosquito Orchid	M	c,d		se. Forest Rd cp
<i>Acrotriche serrulata</i>	Ant's Delight	D	a,c,e		
<i>Adiantum aethiopicum</i>	Common Maidenhair Fern	F	b		shady moist
<i>Lachnagrostis filiformis</i>	Blown Grass	M	b,c		
<i>Agrostis venusta</i>	Graceful Bent Grass	M	b		
<i>Aira caryophyllea</i> subsp. <i>caryophyllea</i>	Silver Hair Grass	M	b	Introduced	
<i>Allocasuarina littoralis</i>	Bull Oak	D	a,b,c,e,g		w. summit
<i>Allocasuarina monilifera</i>	Necklace Sheoak	D	e,f	Mistaken identity	n. Reflect Pond
<i>Allocasuarina verticillata</i>	Drooping Sheoak	D	a,b,c,d,e,g		All over
<i>Amperea xiphoclada</i>	Broom Spurge	D	a,b,c,d,e		summit
<i>Anagallis arvensis</i> var. <i>arvensis</i>	Scarlet Pimpernel	D	b,c,d	Introduced	Along trails
<i>Anagallis arvensis</i> var. <i>caerulea</i>	Pheasant's Eye	D	b,d	Introduced	
<i>Anthoxanthum odoratum</i>	Sweet Vernal Grass	M	c,d	Introduced	
<i>Aotus ericoides</i>	Golden Pea	D	a,b,c,d,e		shady dry
<i>Arctotheca calendula</i>	Capeweed	D	c,d	Introduced	Along pathways
<i>Argentipallium dealbatum</i>	White Everlasting Daisy	D	c		
<i>Arthropodium milleflorum</i>	Pale Vanilla Lily	M	b,c,d,g		w. summit
<i>Asperula</i> sp.	Woodruff species	D	g		w. summit
<i>Asplenium flabellifolium</i>	Necklace Fern	F	c,d,g		shady dry
<i>Astroloma humifusum</i>	Native Cranberry	D	a,b,c,d,e,g		shady dry

Species Name	Common Name	Group	Survey	Origin	Location
<i>Austrostipa aphylla</i>	Tall Spear-grass	M	a,c,g	Endemic	w. summit sp?
<i>Austrostipa mollis</i>	Soet Spear-grass	M	a,b,c,e		
<i>Austrostipa pubinodis</i>	Tall Spear-grass	M	a,b,c,e,g		Open dry
<i>Austrostipa rudis subsp. australis</i>	Austral Spear-grass	M	a,c,i		East Bandicoot corridor
<i>Austrostipa semibarbata</i>	Barbed Spear-grass	M	a,c		
<i>Austrostipa stuposa</i>	Corkscrew Grass	M	a,b		
<i>Banksia marginata</i>	Banksia	D	a,b,c,d,e		All over
<i>Bedfordia linearis</i>	Slender Blanket Leaf	D	a,b,c,d,e	Endemic	
<i>Bedfordia salicina</i>	Blanket Leaf	D	a,b,c,d,e	Endemic	Salvator Rosa Glen
<i>Beyeria viscosa</i>	Pinkwood	D	a,c,e		
<i>Billardiera longiflora var. longiflora</i>	Climbing Blueberry	D	d,e,g		w. summit sp? N. reflecting pond
<i>Boronia pilosa var. pilosa</i>	Hairy Boronia	D	a,b,c,d,e		sandy heathlands
<i>Bossiaea prostrata</i>	Creeping Bossiaea	D	b,c,d,e,g		shady dry
<i>Brachyscome aculeata</i>	Hill Daisy	D	b,c,e		Mt. Stuart track
<i>Brachyscome decipiens</i>	Field Daisy	D	g		w. summit
<i>Brachyscome spathulata subsp. glabra</i>	Blue daisy	D	b,c,d,g		
<i>Briza maxima</i>	Quaking Grass	M	c,d	Introduced	Beside fire trails
<i>Bulbine glauca</i>	Yellow Rock Lily	M	b,c,g		w. summit
<i>Bursaria spinosa</i>	Prickly Box	D	a,b,c,d,e		w. summit
<i>Caladenia cracens</i>	Elegant Caladenia	M	c		Sandy Spit Track, sandy area S carpark
<i>Caladenia echidnachila</i>	Fawn Spider Orchid	M	g		w. summit
<i>Caladenia gracilis</i>	Musk Caladenia	M	g		w. summit
<i>Caladenia rubra</i>	Pink Fingers Orchid	M	f		s.w. summit
<i>Caleana major</i>	Small Duck Orchid	M	c		
<i>Callistemon pallidus</i>	Yellow Bottlebrush	D	a,c,d,e		Open moist
<i>Calochilus robertsonii</i>	Purple Beard Orchid	M	c,e		
<i>Carex appressa</i>	Tall Sedge	M	c,e		Open moist
<i>Carex breviculmis</i>	Short Sedge	M	b,c,d,e,g		w. summit
<i>Cassinia aculeata</i>	Dolly Bush	D	b,c,d,e		Open dry, Main Trail
<i>Cassytha pubescens</i>	Hairy Dodder-laurel	D	b,c,d		
<i>Centaurium erythraea</i>	Centaury	D	b,c,d	Introduced	w. summit, wide spread
<i>Centranthus ruber subsp. ruber</i> r4	Red Valerian	D	a	Introduced	
<i>Chiloglottis reflexa</i>	Autumn Bird Orchid	M	c		n. Glover Track
<i>Chiloglottis triceratops</i>	Three-horned Bird Orchid	M	i – 5/11/09		Sandy Spit track
<i>Chrysanthemoides monilifera</i>	Boneseed	D	a,b,c,d,e,g	Introduced	sporadic, remove when found
<i>Chrysocephalum apiculatum</i>	Common Everlasting Daisy	D	a,b,c,e		Open dry
<i>Chrysocephalum semipapposum</i>	Clustered Everlasting Daisy	D	a,c		Open dry
<i>Cirsium arvense</i>	Creeping Thistle	D	b	Introduced	
<i>Clematis aristata</i>	Australian Clematis	D	a,c,d		Southern Trail
<i>Clematis gentianoides</i>	Gentian Clematis	D	a,c,d	Endemic	
<i>Comesperma volubile</i>	Blue Love Creeper	D	a,c,d,g		w. summit
<i>Convolvulus erubescens</i>	Australian Bindweed	D	b		
<i>Conyza sp.</i>	Fleabane	D	c,d	Introduced	
<i>Coprosma hirtella</i>	Coffee-berry	D	a,b,c,d,e		Southern Trail
<i>Coprosma quadrifida</i>	Native Currant	D	a,b,c,e		Southern Trail
<i>Coronidium scorpioides</i> Name changed from Helichrysum	Curling Everlasting Daisy	D	a,b,c,d,e		Wide spread dolerite
<i>Correa reflexa var. reflexa</i>	Native Fuchsia	D	a,c,d		Southern Trail
<i>Cortaderia jubata</i>	Pink Pampas	M	b	Introduced	Remove if found
<i>Cortaderia selloana</i>	Pampas	M	a,b,c,d	Introduced	Remove if found

Species Name	Common Name	Group	Survey	Origin	Location
<i>Cotoneaster glaucophyllus</i>	Cotoneaster	D	a	Introduced	Remove if found
<i>Craspedia glauca</i>	Common Billy-buttons	D	b,c,g		w. summit
<i>Crassula sieberana</i>	Australian Stonecrop	D	b,c		
<i>Crataegus monogyna</i>	Hawthorn	D	a	Introduced	Remove if found
<i>Cynoglossum suaveolens</i>	Sweet Hound's Tongue	D	b		w. summit
<i>Cyrtostylis reniformis</i>	Small Gnat Orchid	M	c		
<i>Cytisus scoparius</i>	English Broom	D	a,b,c,d	Introduced	Remove if found
<i>Dactylis glomerata</i>	Cocksfoot	M	a,b,c,d	Introduced	Remove if found
<i>Daviesia sejugata</i>	Leaf-spiky Bitterpea	D	f	Introduced Tasmanian sp.	carpark cliffs planted 2001
<i>Daviesia ulicifolia</i>	Yellow spiky Bitterpea	D	b,c,d,e,g		shady dry
<i>Derwentia derwentiana</i>	Derwent Speedwell	D	a,c		
<i>Deyeuxia monticola</i>	Bent-grass	M	b,c		
<i>Deyeuxia quadrisetata</i>	Reed bent-grass	M	b,c		
<i>Dianella brevicaulis</i>	Black-anther Flax-lily	M	a,b,c,e		shady dry
<i>Dianella revoluta</i>	Blue-flax Flax-lily	M	a,b,c,d,e,g		shady dry
<i>Dianella tasmanica</i>	Tasman Flax-lily	M	a,b,c,d,e		shady moist
<i>Dichelachne crinita</i>	Long Hair Plume-grass	M	b,c		
<i>Dichelachne micrantha</i>	Short-haired Plume-grass	M	b		
<i>Dichelachne rara</i>	Common Plume-grass	M	b,c,d		
<i>Dichondra repens</i>	Kidney weed	D	b,c		w. summit
<i>Dicksonia antarctica</i>	Soft Tree-fern	F	c,d,e		shady moist
<i>Dillwynia cinerascens</i>	Grey Parrot Pea	D	a,b,c,e,g		w. summit
<i>Dillwynia sericea</i>	Showy Parrot Pea	D	a,b,c,d,e		sandstone areas
<i>Diplarrena moraea</i>	Butterfly Iris	M	a,b,c,d,e,g		woodlands
<i>Diuris chryseopsis</i>	Common Golden Moth Orchid	M	c		n. summit
<i>Diuris pardina</i>	Leopard Orchid	M	c		w. summit
<i>Diuris sulphurea</i>	Tiger Orchid	M	c		
<i>Dodonaea viscosa</i>	Native Hop-bush	D	a,b,c,d,e		Open dry
<i>Drosera peltata subsp auriculata.</i>	Tall Sundew	D	b,c,d,g		w. summit, sandy area SE carpark
<i>Ehrharta distichophylla</i>	Hairy Rice-grass	M	b,c		
<i>Ehrharta stipoides</i>	Weeping Grass	M	a,b,c,d,e		Terraces s. Glover track
<i>Elymus scaber</i>	Rough Wheat-grass	M	b,c		
<i>Epacris impressa</i>	Common Heath	D	a,b,c,d,e,g		shady dry
<i>Epacris virgata</i>	Drumstick Heath	D	a,c		
<i>Erica lusitanica</i>	Spanish Heath	D	a,b,c,d	Introduced	Sporadic, remove when found
<i>Eriochilus cucullatus</i>	Pink Autumn Orchid	M	c,i	Endemic	summit
<i>Eucalyptus amygdalina</i>	Black Peppermint	D	a,b,c,d,e		
<i>Eucalyptus ficifolia</i>	Flowering Gum	D	c	Introduced WA sp.	
<i>Eucalyptus globulus subsp. globulus</i>	Blue Gum	D	a,b,c,d	Endemic	All over, esp. southern slopes
<i>Eucalyptus leucoxylen 'Rosea'</i>	South Australian Blue Gum	D	e,e,f	Introduced SA sp.	N.W Sandy Spit Planted ~1970; dead January 2018
<i>Eucalyptus obliqua</i>	Stringybark	D	a,b,c,d		wide spread
<i>Eucalyptus ovata</i>	Black Gum	D	a,b,c,d,g		w. summit
<i>Eucalyptus pulchella</i>	White Peppermint	D	a,b,c,d,g		w. summit
<i>Eucalyptus risdonii</i>	Risdon Peppermint	D	f,g	Introduced Tasmanian sp.	SE picnic lookout, NM reservoir Planted ~1970
<i>Eucalyptus viminalis subsp. viminalis</i>	White Gum	D	a,b,c,d,g		w. summit
<i>Euchiton gymnoclada</i>	Australian Cudweed	D	a,b,c,g	Endemic	w. summit
<i>Euphrasia collina subsp. collina</i>	Purple Eyebright	D	a,c,d		
<i>Euryops abrotanifolius</i>	Euryops	D	a,b	Introduced	remove if found
<i>Exocarpos cupressiformis</i>	Native Cherry	D	a,b,c,d,e,g		w. summit
<i>Exocarpos strictus</i>	Dwarf Cherry	D	a,b,c,d,e,g		w. summit

Species Name	Common Name	Group	Survey	Origin	Location
<i>Foeniculum vulgare</i>	Fennel	D	a,c,d	Introduced	
<i>Gahnia grandis</i>	Cutting Grass	M	a,d		s. Southern Trail
<i>Gahnia radula</i>	Thatch Saw-sedge	M	a,b,c,d,e		Pipeline track n. picnic lookout
<i>Gahnia rodwayi</i>	Rodway's Saw-sedge	M	a,b		
<i>Galium aparine</i>	Common Cleavers	D	a,c,d		
<i>Galium australe</i>	Tangled Bedstraw	D	a,b	Endemic	w. summit
<i>Galium gaudichaudii</i>	Rough Bedstraw	D	a,b	Introduced	
<i>Gastridium ventricosum</i>	Nit Grass	M	a,c,d	Introduced	
<i>Gastrodia sesamoides</i>	Potato Orchid	M	a,c,g		near summit
<i>Genista monspessulana</i>	Canary Broom	D	a,c,d	Introduced	Remove if found
<i>Geranium potentilloides</i>	Mountain Geranium	D	a,b,c,d		w. summit
<i>Gonocarpus tetragynus</i>	Common Raspwort	D	a,b,c,d,e	Introduced	w. summit
<i>Gonocarpus teucrioides</i>	Forest Raspwort	D	a,c,e,f		w. summit, Glover track
<i>Goodenia lanata</i>	Trailing Native Primrose	D	g		w. summit
<i>Goodenia ovata</i>	Parrot's Food	D	a,c,d		wide spread
<i>Glossodia major</i>	Waxlip Orchid	M	g		w. summit
<i>Grevillea aspleniifolia</i>	Grevillea with deep red tooth brush flowers	D	f,g	Introduced NSW	Remove if found, Fiona Allan track
<i>Grevillea Poorinda Constance</i>	Grevillea with red flowers	D	f,g	Introduced Vic	Remove if found, Fiona Allan track
<i>Grevillea Poorinda Queen</i>	Grevillea with orange flowers	D	f,g	Introduced Vic	Remove if found, Fiona Allan track
<i>Grevillea rosmarinifolia</i>	Rosemary Grevillea	D	f,g	Introduced Vic	Remove if found, Fiona Allan track
<i>Grevillea sp.</i>	Possibly <i>G. rosmarinifolia</i>	D	f	Introduced Vic	Remove if found, s. Glover track
<i>Hakea lissosperma</i>	Mountain Needle-bush	D	f,h	Intro. Tasmanian planted ~1997	s. Bandicoot corridor
<i>Hemarthria uncinata</i>	Mat Grass	M	a,b,c	Introduced	
<i>Hibbertia hirsuta</i>	Hairy Guinea-flower	D	a,b,c		nw. summit
<i>Hibbertia riparia</i>	Erect Guinea-flower	D	a,c,d,e		sandy heaths
<i>Histiopteris incisa</i>	Bat's Wing Fern	F	a,c	Endemic	
<i>Holcus lanatus</i>	Yorkshire Fog	M	a,b,c,d		
<i>Hovea heterophylla</i>	Common Hovea	D	a,b,c,e		West Hobart wayleave
<i>Hypericum gramineum</i>	Small St John's Wort	D	a,b,c,d	Introduced	w. summit
<i>Hypochoeris radicata</i>	Common Catsear	D	a,b,c,d	Introduced	
<i>Hypoxis hygrometrica</i>	Golden Grass	M	a,c		
<i>Juncus articulatus</i>	Jointed Rush	M	a,b,c,d	Introduced	
<i>Juncus holoschoenus subsp. holoschoenus</i>	Joint-leaf Rush	M	a,b		
<i>Juncus pallidus</i>	Pale Rush	M	a,b,c,d		frog dam, f. bog
<i>Juncus planifolius</i>	Broad-leaf Rush	M	a,b,c		
<i>Juncus sarophorus</i>	Fleshy Rush	M	a,b		
<i>Juncus subsecundus</i>	Finger Rush	M	a,b		
<i>Kennedia prostrata</i>	Running postman	D	a,b,c		wood lands
<i>Lagenifera stipitata</i>	Blue-bottle Daisy	D	a,b,c,d		
<i>Leontodon saxatilis syn. L. taraxacoides</i>	Lesser Hawkbit	D	a,b	Introduced	
<i>Lepidium campestre</i>	Field Peppercross	D	a,b	Introduced	
<i>Lepidium pseudotasmanicum</i>	Tasmanian Peppercross	D	a,b		
<i>Lepidosperma concavum</i>	Sand Sword-sedge	M	a,c		
<i>Lepidosperma curtisiae</i>	Lesser Sword-sedge	M	a,b,c		w. summit
<i>Lepidosperma elatius</i>	Tall Sword-sedge	M	a,c		
<i>Lepidosperma ensiforme</i>	Two handed Sword-sedge	M	a,b,c		e. Main Trail
<i>Lepidosperma filiforme</i>	Common Rapier-sedge	M	a,b,c		
<i>Lepidosperma globosum</i>	Harsh Sword-sedge	M	a,b	Endemic	
<i>Lepidosperma gunnii</i>	Narrow-Sword-sedge	M	a,b,c		
<i>Lepidosperma laterale</i>	Variable Sword-sedge	M	a,b,c,d		w. summit

Species Name	Common Name	Group	Survey	Origin	Location
<i>Leptecophylla divaricata</i>	Cheeseberry	D	a,c,i	Endemic	se summit f.t.
<i>Leptomeria drupacea</i>	Currant Bush	D	a,c		w. summit
<i>Leptorhynchos nitidulus</i> r3	Shiny Buttons	D	a,b,c,d		
<i>Leptorhynchos squamatus</i> subsp. <i>squamatus</i> r3	Scaly Buttons	D	a,b,c,d		w. summit, se carpark, Mt Stuart Track, Summit loop r3
<i>Leptospermum scoparium</i> var. <i>scoparium</i>	Manuka	D	a,b,c,d		w. summit wide spread
<i>Leucopogon collinus</i>	White Beard-heath	D	a,b,c,d		Sandy heaths
<i>Leucopogon ericoides</i>	Pink Beard-heath	D	a,b,c,d		
<i>Leucopogon virgatus</i>	Common Beard-heath	D	a,b,c,d		
<i>Linum catharticum</i>	Purging Flax	D	a,b,c,d	Introduced	
<i>Linum marginale</i>	Native Flax	D	a,b,c,		Dolerite areas
<i>Lissanthe strigosa</i>	Peach Heath	D	a,b,c,d		All over
<i>Lobelia gibbosa</i>	Tall Lobelia	D	a,c		
<i>Lomandra longifolia</i>	Sagg	M	a,b,c,d		All over
<i>Lomatia tinctoria</i>	Guitar Plant	D	a,b,c,d	Endemic	Sandy Spit Trail
<i>Luzula flaccida</i>	Wood-rush	M	a,b,d		
<i>Melaleuca armillaris</i>	Giant Honey Myrtle	D	a,c,d	Introduced	
<i>Microseris lanceolata</i>	Native Dandelion	D	a,b,c		
<i>Microtis unifolia</i>	Onion Orchid	M	a,c		
<i>Myriophyllum aquaticum</i>	Parrots Feather	M	a	Introduced	Eradicated, was in Knocklofty Terrace pond
<i>Notelaea ligustrina</i>	Native Olive	D	a,c,d		
<i>Notodanthonia</i> <i>semiannularis</i>	Marsh Wallaby-grass	M	c		
<i>Olearia argophylla</i>	Musk	D	a,c,d		Salvator Rosa Glen
<i>Olearia ericoides</i>	Heathy Daisy Bush	D	a,c,d	Endemic	w. summit
<i>Olearia erubescens</i>	Undulate Daisy Bush	D	a,b,c,d		
<i>Olearia phlogopappa</i>	Dusty Daisy Bush	D	a,c		
<i>Olearia ramulosa</i>	Twiggy Daisy Bush	D	a,b,c		w. summit
<i>Olearia viscosa</i>	Dwarf Musk	D	a,b,c,d		s. Southern Trail
<i>Opercularia varia</i>	Variable Stinkweed	D	a,b,c		
<i>Oxalis corniculata</i> subsp. <i>corniculata</i>	Yellow Wood-sorrel	D	a,c,d	Introduced	
<i>Oxalis perennans</i>	Australian Yellow Wood- sorrel	D	a,b		w. summit
<i>Ozothamnus ferrugineus</i>	Tree Everlasting	D	a,b,c,d		
<i>Ozothamnus obcordatus</i>	Grey Everlasting	D	a,b,c,d		Wide spread
<i>Ozothamnus scutellifolius</i>	Scale-leaf Everlasting	D	a,c,d	Endemic	
<i>Parentucellia viscosa</i>	Yellow Bartsia	D	a,c,d	Introduced	
<i>Pelargonium australe</i>	Austral Storks-bill	D	a,c,d		
<i>Pelargonium inodorum</i> r3	Kopata	D	a,b		
<i>Pentapogon quadrifidus</i> var. <i>parviflorus</i>	Five-awned Spear-grass	M	a,b	Endemic	
<i>Persoonia juniperina</i>	Prickly Geebung	D	a,c,d		n. Reflecting Pond, sandy heaths
<i>Petrorhagia nanteuillii</i>	Childling Pink	D	a,c	Introduced	
<i>Philothea verrucosa</i>	Fairy Waxflower	D	i – 13/10/09		Giblin St quarry fence Mt Stuart
<i>Phyllanthus australis</i>	Austral Spurge	D	a,c		w. summit
<i>Phymatosorus pustulatus</i>	Kangaroo Fern	F	a,b		
<i>Picris angustifolia</i> subsp. <i>angustifolia</i>	Hawkweed Ox-tongue	D	a,b		
<i>Pimelea flava</i>	Yellow Rice-flower	D	i	Introduced, Tas Planted 2007	Sandy Spit water tank plantings failed
<i>Pimelea humilis</i>	Common Rice-flower	D	a,b,c,d		w. summit
<i>Pimelea linifolia</i> subsp. <i>linifolia</i>	Slender Rice-flower	D	a,b,c,d		se. Forest Rd cp sandy heaths
<i>Pinus radiata</i>	Radiata Pine	G	a,b,c,d	Introduced	Remove if found
<i>Plantago coronopus</i>	Buckshorn Plantain	D	a,c,d	Introduced	

Species Name	Common Name	Group	Survey	Origin	Location
<i>Plantago lanceolata</i>	Ribwort Plantain	D	a,b,c,d	Introduced	
<i>Plantago varia</i>	Variable Plantain	D	a,b,c,d		w. summit
<i>Poa annua</i>	Annual Meadow-grass	M	a,c,d	Introduced	
<i>Poa gunnii</i>	Tussock-grass	M	a,c	Endemic	
<i>Poa labillardierei</i> var. <i>labillardierei</i>	Tussock-grass	M	a,c,d		All over, widely planted
<i>Poa rodwayi</i>	Tussock-grass	M	a,b		w. summit
<i>Poa sieberiana</i>	Tussock-grass	M	a,b		
<i>Polystichum proliferum</i>	Mother Shield-fern	F	a,c		Damp quarries
<i>Pomaderris apetala</i>	Common Dogwood	D	a,c		Salvator Rosa Glen
<i>Pomaderris pilifera</i>	Yellow Dogwood	D	a,b,c		w. summit
<i>Poranthera microphylla</i>	Small Poranthera	D	a,b		
<i>Prasophyllum apoxychilum</i>	Tapered Leek Orchid	M			
<i>Prasophyllum brevilabre</i>	Short-lip Leek Orchid	M	a		
<i>Prasophyllum perangustum</i>	Knocklofty Leek Orchid	M	c	Endemic	Rare summit
<i>Prunella vulgaris</i>	Selfheal r3	D	a,c,d	Introduced	
<i>Pteridium esculentum</i>	Bracken Fern	F	a,b,c,d		
<i>Pterostylis decurva</i>	Summer Greenhood	M	a,c		
<i>Pterostylis melagramma</i> r3	Blackstripe Greenhood r3	M	E		
<i>Pterostylis pedunculata</i>	Maroonhood	M	G		n. summit
<i>Pterostylis stenochila</i>	Greenhood	M	a,c		Summit loop track
<i>Pterostylis nutans</i>	Nodding Greenhood	M	a,c		se. Forest Rd cp
<i>Pterostylis williamsonii</i>	Brown-lip Greenhood	M	g		w. summit
<i>Ptilotus spathulatus</i>	Pussy Tails	D	a,b		
<i>Pultenaea daphnoides</i> var. <i>obcordata</i>	Native Daphne	D	a,b,c,d		all over in woodlands
<i>Pultenaea juniperina</i>	Prickly Beauty	D	a,b,c,d		all over
<i>Pultenaea pedunculata</i>	Matted Bush Pea	D	a,b,c		w. summit
<i>Ranunculus lappaceus</i>	Common Buttercup	D	a,b,c,d		All over
<i>Ranunculus repens</i>	Creeping Buttercup	D	a,c,d	Introduced	
<i>Rhynchospora procumbens</i>	Mary's Flower	D	a,c,d		
<i>Rytidosperma caespitosum</i> r4	Common Wallaby-grass	M	b,e,g		Open dry
<i>Rytidosperma indutum</i> r4	Tall Wallaby-grass	M	b,c,g,i		w. summit, Main Trail
<i>Rytidosperma laeve</i> r4	Wallaby-grass	M	b,c		
<i>Rytidosperma penicillatum</i> r4	Slender wallaby-grass	M	b,d		
<i>Rytidosperma pilosum</i> r4	Velvet wallaby-grass	M	b,c		
<i>Rytidosperma setaceum</i> r4	Bristly wallaby-grass	M	b,c,e		Open dry
<i>Rytidosperma tenuius</i> r4	Purplish wallaby-grass r3	M	b,c		
<i>Romulea rosea</i> var. <i>australis</i>		M	g	Introduced	w. summit Not sure if sighted
<i>Rosa rubiginosa</i>	Briar Rose	D	a,c,d	Introduced	Sporadic, remove if found
<i>Rubus fruticosus</i>	Blackberry	D	a,b,c,d	Introduced	Sporadic, remove if found
<i>Rumex crispus</i>	Curled leaf Dock	D	a,c,d	Introduced	
<i>Salix X rubens</i>	Willow	D	a,c,d	Introduced	Remove if found
<i>Sanguisorba minor</i>	Salad Burnet	D	a,c,d	Introduced	
<i>Schoenus apogon</i>	Common Bog-rush	M	a,b,c		
<i>Senecio biserratus</i>	Jagged fireweed	D	a,c		
<i>Senecio glomeratus</i>	Fireweed	D	a,c		w. summit
<i>Senecio hispidulus</i>	Rough fireweed	D	a,b,c		
<i>Senecio linearifolius</i>	Fireweed groundsel	D	a,b,c,d		Poets Rd quarry
<i>Senecio minimus</i>	Fireweed	D	a,c		
<i>Senecio quadridentatus</i>	Cotton Fireweed	D	a,b,c,d		w. summit
<i>Solenogyne dominii</i>	Flat-herb	D	a,b		
<i>Sonchus oleraceus</i>	Smooth Sow-thistle	D	a,b,c,d	Introduced	
<i>Stackhousia monogyna</i>	Native Mignonette	D	a,c		w. summit, se carpark
<i>Stellaria media</i>	Chickweed	D	a,c,d	Introduced	

Species Name	Common Name	Group	Survey	Origin	Location
<i>Stylidium graminifolium</i>	Trigger Plant	D	a,b,c,d		w. summit
<i>Styphelia adscendens</i>	Golden Heath	D	a,b,c		
<i>Taraxacum officinale</i>	Dandelion	D	a,c,d	Introduced	w. summit
<i>Tetraloche labillardierei</i>	Sticky Lilac-bells	D	a,b,c,d		
<i>Tetraloche pilosa subsp. pilosa</i>	Common Lilac-bells	D	a,b,c,d		w. summit
<i>Thelionema caespitosum</i>	Tufted Lily	M	a,b,c		n. Reflecting Pond sandy heath se cp
<i>Thelymitra ixioides / juncifolia</i> **	Spotted Sun Orchid	M	a,c		
<i>Thelymitra pauciflora</i>	Slender Sun-orchid	M	a,c		w. summit
<i>Thelymitra rubra</i>	Pink Sun orchid	M	a,c		se. Forest Rd cp sandy heaths
<i>Themeda triandra</i>	Kangaroo Grass	M	a,b,c,d,i		w. summit, wide spread
<i>Thysanotus patersonii</i>	Twining Fringe Lily	M	a,c		w Hobart wayleave, summit
<i>Trifolium dubium</i>	Lesser Trefoil	D	a,c,d	Introduced	
<i>Trifolium repens</i>	White Clover	D	a,c,d	Introduced	
<i>Ulex europaeus</i>	Gorse	D	a,b,c,d	Introduced	w. summit
<i>Velleia paradoxa</i>	Spur Velleia	D	a,b		Rare, downhill Mt Stuart carpark
<i>Vellereophyton dealbatum</i>	Cudweed	D	a,b,c,d	Introduced	
<i>Veronica gracilis</i>	Slender speedwell		i		n end w Hobart wayleave
<i>Viola hederacea subsp. hederacea</i>	Ivy-leaf violet	D	a,b,c,d	Endemic	w. summit
<i>Vittadinia muelleri</i>	Narrow-leaf New Holland Daisy	D	a,b		Very rare, near Giblin St quarry
<i>Wahlenbergia gracilis</i>	Australian bluebell	D	a,b		w. summit sp?
<i>Wahlenbergia gymnoclada</i>	Naked bluebell	D	a,b,c,d		
<i>Wahlenbergia littoricola</i>	Shortside bluebell	D	a,b		
<i>Wahlenbergia multicaulis</i>	Bushy bluebell r3	D	a,b		
<i>Wahlenbergia stricta</i>	Tall Bluebell	D	a,b		
<i>Wurmbea dioica subsp. dioica</i>	Early Nancy	M	a,b,c		Grassy areas all over
<i>Zieria arborescens</i>	Stinkwood	D	a,c		Salvator Rosa Glen

** - This complex has been partially resolved and includes at least two species (*T. ixioides*, *T. juncifolia*) that could potentially occur on Knocklofty.

Approximately

237 75.9% Tasmanian indigenous species,
5 1.6% Introduced Tasmanian species,
9 2.9% Introduced Australian species, and
61 19.6% Introduced overseas species.
~312 Species in total